


R0181

Bussola di mascheraggio con collare DIN 172 - BDIN172
Headed drill bush DIN 172 - BDIN172



Descrizione:

Materiale: 16 Cr Ni 4
Durezza: HRC 58-62
Trattamento termico: Cementazione + Tempra

Description:

Material: 16 Cr Ni 4
Hardness: HRC 58-62
Heat treatment: Cementing + Hardening


Codice Code	D	D1	D2	L	K
R0181-02-0001	0.9	3	6	6	2
R0181-02-0002	0.9	3	6	9	2
R0181-02-0003	1	3	6	6	2
R0181-02-0004	1	3	6	9	2
R0181-02-0005	1.1	4	7	6	2
R0181-02-0006	1.1	4	7	9	2
R0181-02-0007	1.2	4	7	6	2
R0181-02-0008	1.2	4	7	9	2
R0181-02-0009	1.3	4	7	6	2
R0181-02-0010	1.3	4	7	9	2
R0181-02-0011	1.4	4	7	6	2
R0181-02-0012	1.4	4	7	9	2
R0181-02-0013	1.5	4	7	6	2
R0181-02-0014	1.5	4	7	9	2
R0181-02-0015	1.6	4	7	6	2
R0181-02-0016	1.6	4	7	9	2
R0181-02-0017	1.7	4	7	6	2
R0181-02-0018	1.7	4	7	9	2
R0181-02-0019	1.8	4	7	6	2
R0181-02-0020	1.8	4	7	9	2
R0181-02-0021	1.9	5	8	6	2
R0181-02-0022	1.9	5	8	9	2
R0181-02-0023	2	5	8	6	2
R0181-02-0024	2	5	8	9	2
R0181-02-0025	2.1	5	8	6	2
R0181-02-0026	2.1	5	8	9	2
R0181-02-0027	2.2	5	8	6	2
R0181-02-0028	2.2	5	8	9	2
R0181-02-0029	2.3	5	8	6	2
R0181-02-0030	2.3	5	8	9	2
R0181-02-0031	2.4	5	8	6	2
R0181-02-0032	2.4	5	8	9	2
R0181-02-0033	2.5	5	8	6	2
R0181-02-0034	2.5	5	8	9	2
R0181-02-0035	2.6	5	8	6	2
R0181-02-0036	2.6	5	8	9	2
R0181-02-0037	2.7	6	9	8	2.5
R0181-02-0038	2.7	6	9	12	2.5
R0181-02-0039	2.7	6	9	16	2.5
R0181-02-0040	2.8	6	9	8	2.5
R0181-02-0041	2.8	6	9	12	2.5
R0181-02-0042	2.8	6	9	16	2.5
R0181-02-0043	2.9	6	9	8	2.5
R0181-02-0044	2.9	6	9	12	2.5
R0181-02-0045	2.9	6	9	16	2.5
R0181-02-0046	3	6	9	8	2.5

Codice Code	D	D1	D2	L	K
R0181-02-0047	3	6	9	12	2.5
R0181-02-0048	3	6	9	16	2.5
R0181-02-0049	3.1	6	9	8	2.5
R0181-02-0050	3.1	6	9	12	2.5
R0181-02-0051	3.1	6	9	16	2.5
R0181-02-0052	3.2	6	9	8	2.5
R0181-02-0053	3.2	6	9	12	2.5
R0181-02-0054	3.2	6	9	16	2.5
R0181-02-0055	3.25	6	9	8	2.5
R0181-02-0056	3.25	6	9	12	2.5
R0181-02-0057	3.25	6	9	16	2.5
R0181-02-0058	3.3	6	9	8	2.5
R0181-02-0059	3.3	6	9	12	2.5
R0181-02-0060	3.3	6	9	16	2.5
R0181-02-0061	3.4	7	10	8	2.5
R0181-02-0062	3.4	7	10	12	2.5
R0181-02-0063	3.4	7	10	16	2.5
R0181-02-0064	3.5	7	10	8	2.5
R0181-02-0065	3.5	7	10	12	2.5
R0181-02-0066	3.5	7	10	16	2.5
R0181-02-0067	3.6	7	10	8	2.5
R0181-02-0068	3.6	7	10	12	2.5
R0181-02-0069	3.6	7	10	16	2.5
R0181-02-0070	3.7	7	10	8	2.5
R0181-02-0071	3.7	7	10	12	2.5
R0181-02-0072	3.7	7	10	16	2.5
R0181-02-0073	3.75	7	10	8	2.5
R0181-02-0074	3.75	7	10	12	2.5
R0181-02-0075	3.75	7	10	16	2.5
R0181-02-0076	3.8	7	10	8	2.5
R0181-02-0077	3.8	7	10	12	2.5
R0181-02-0078	3.8	7	10	16	2.5
R0181-02-0079	3.9	7	10	8	2.5
R0181-02-0080	3.9	7	10	12	2.5
R0181-02-0081	3.9	7	10	16	2.5
R0181-02-0082	4	7	10	8	2.5
R0181-02-0083	4	7	10	12	2.5
R0181-02-0084	4	7	10	16	2.5
R0181-02-0085	4.1	8	11	8	2.5
R0181-02-0086	4.1	8	11	12	2.5
R0181-02-0087	4.1	8	11	16	2.5
R0181-02-0088	4.2	8	11	8	2.5
R0181-02-0089	4.2	8	11	12	2.5
R0181-02-0090	4.2	8	11	16	2.5
R0181-02-0091	4.25	8	11	8	2.5
R0181-02-0092	4.25	8	11	12	2.5

Codice Code	D	D1	D2	L	K
R0181-02-0093	4.25	8	11	16	2.5
R0181-02-0094	4.3	8	11	8	2.5
R0181-02-0095	4.3	8	11	12	2.5
R0181-02-0096	4.3	8	11	16	2.5
R0181-02-0097	4.4	8	11	8	2.5
R0181-02-0098	4.4	8	11	12	2.5
R0181-02-0099	4.4	8	11	16	2.5
R0181-02-0100	4.5	8	11	8	2.5
R0181-02-0101	4.5	8	11	12	2.5
R0181-02-0102	4.5	8	11	16	2.5
R0181-02-0103	4.6	8	11	8	2.5
R0181-02-0104	4.6	8	11	12	2.5
R0181-02-0105	4.6	8	11	16	2.5
R0181-02-0106	4.7	8	11	8	2.5
R0181-02-0107	4.7	8	11	12	2.5
R0181-02-0108	4.7	8	11	16	2.5
R0181-02-0109	4.75	8	11	8	2.5
R0181-02-0110	4.75	8	11	12	2.5
R0181-02-0111	4.75	8	11	16	2.5
R0181-02-0112	4.8	8	11	8	2.5
R0181-02-0113	4.8	8	11	12	2.5
R0181-02-0114	4.8	8	11	16	2.5
R0181-02-0115	4.9	8	11	8	2.5
R0181-02-0116	4.9	8	11	12	2.5
R0181-02-0117	4.9	8	11	16	2.5
R0181-02-0118	5	8	11	8	2.5
R0181-02-0119	5	8	11	12	2.5
R0181-02-0120	5	8	11	16	2.5
R0181-02-0121	5.1	10	13	10	3
R0181-02-0122	5.1	10	13	16	3
R0181-02-0123	5.1	10	13	20	3
R0181-02-0124	5.2	10	13	10	3
R0181-02-0125	5.2	10	13	16	3
R0181-02-0126	5.2	10	13	20	3
R0181-02-0127	5.25	10	13	10	3
R0181-02-0128	5.25	10	13	16	3
R0181-02-0129	5.25	10	13	20	3
R0181-02-0130	5.3	10	13	10	3
R0181-02-0131	5.3	10	13	16	3
R0181-02-0132	5.3	10	13	20	3
R0181-02-0133	5.4	10	13	10	3
R0181-02-0134	5.4	10	13	16	3
R0181-02-0135	5.4	10	13	20	3
R0181-02-0136	5.5	10	13	10	3
R0181-02-0137	5.5	10	13	16	3
R0181-02-0138	5.5	10	13	20	3

R0181

Bussola di mascheraggio con collare DIN 172 - BDIN172
Headed drill bush DIN 172 - BDIN172



Descrizione:

Materiale: 16 Cr Ni 4
Durezza: HRC 58-62
Trattamento termico: Cementazione + Tempra

Description:

Material: 16 Cr Ni 4
Hardness: HRC 58-62
Heat treatment: Cementing + Hardening


Codice Code	D	D1	D2	L	K
R0181-02-0139	5.6	10	13	10	3
R0181-02-0140	5.6	10	13	16	3
R0181-02-0141	5.6	10	13	20	3
R0181-02-0142	5.7	10	13	10	3
R0181-02-0143	5.7	10	13	16	3
R0181-02-0144	5.7	10	13	20	3
R0181-02-0145	5.75	10	13	10	3
R0181-02-0146	5.75	10	13	16	3
R0181-02-0147	5.75	10	13	20	3
R0181-02-0148	5.8	10	13	10	3
R0181-02-0149	5.8	10	13	16	3
R0181-02-0150	5.8	10	13	20	3
R0181-02-0151	5.9	10	13	10	3
R0181-02-0152	5.9	10	13	16	3
R0181-02-0153	5.9	10	13	20	3
R0181-02-0154	6	10	13	10	3
R0181-02-0155	6	10	13	16	3
R0181-02-0156	6	10	13	20	3
R0181-02-0157	6.1	12	15	10	3
R0181-02-0158	6.1	12	15	16	3
R0181-02-0159	6.1	12	15	20	3
R0181-02-0160	6.2	12	15	10	3
R0181-02-0161	6.2	12	15	16	3
R0181-02-0162	6.2	12	15	20	3
R0181-02-0163	6.25	12	15	10	3
R0181-02-0164	6.25	12	15	16	3
R0181-02-0165	6.25	12	15	20	3
R0181-02-0166	6.3	12	15	10	3
R0181-02-0167	6.3	12	15	16	3
R0181-02-0168	6.3	12	15	20	3
R0181-02-0169	6.4	12	15	10	3
R0181-02-0170	6.4	12	15	16	3
R0181-02-0171	6.4	12	15	20	3
R0181-02-0172	6.5	12	15	10	3
R0181-02-0173	6.5	12	15	16	3
R0181-02-0174	6.5	12	15	20	3
R0181-02-0175	6.6	12	15	10	3
R0181-02-0176	6.6	12	15	16	3
R0181-02-0177	6.6	12	15	20	3
R0181-02-0178	6.7	12	15	10	3
R0181-02-0179	6.7	12	15	16	3
R0181-02-0180	6.7	12	15	20	3
R0181-02-0181	6.75	12	15	10	3
R0181-02-0182	6.75	12	15	16	3
R0181-02-0183	6.75	12	15	20	3
R0181-02-0184	6.8	12	15	10	3

Codice Code	D	D1	D2	L	K
R0181-02-0185	6.8	12	15	16	3
R0181-02-0186	6.8	12	15	20	3
R0181-02-0187	6.9	12	15	10	3
R0181-02-0188	6.9	12	15	16	3
R0181-02-0189	6.9	12	15	20	3
R0181-02-0190	7	12	15	10	3
R0181-02-0191	7	12	15	16	3
R0181-02-0192	7	12	15	20	3
R0181-02-0193	7.1	12	15	10	3
R0181-02-0194	7.1	12	15	16	3
R0181-02-0195	7.1	12	15	20	3
R0181-02-0196	7.2	12	15	10	3
R0181-02-0197	7.2	12	15	16	3
R0181-02-0198	7.2	12	15	20	3
R0181-02-0199	7.25	12	15	10	3
R0181-02-0200	7.25	12	15	16	3
R0181-02-0201	7.25	12	15	20	3
R0181-02-0202	7.3	12	15	10	3
R0181-02-0203	7.3	12	15	16	3
R0181-02-0204	7.4	12	15	10	3
R0181-02-0205	7.4	12	15	16	3
R0181-02-0206	7.4	12	15	20	3
R0181-02-0207	7.5	12	15	10	3
R0181-02-0208	7.5	12	15	16	3
R0181-02-0209	7.5	12	15	20	3
R0181-02-0210	7.6	12	15	10	3
R0181-02-0211	7.6	12	15	16	3
R0181-02-0212	7.6	12	15	20	3
R0181-02-0213	7.7	12	15	10	3
R0181-02-0214	7.7	12	15	16	3
R0181-02-0215	7.7	12	15	20	3
R0181-02-0216	7.75	12	15	10	3
R0181-02-0217	7.75	12	15	16	3
R0181-02-0218	7.75	12	15	20	3
R0181-02-0219	7.8	12	15	10	3
R0181-02-0220	7.8	12	15	16	3
R0181-02-0221	7.8	12	15	20	3
R0181-02-0222	7.9	12	15	10	3
R0181-02-0223	7.9	12	15	16	3
R0181-02-0224	7.9	12	15	20	3
R0181-02-0225	8	12	15	10	3
R0181-02-0226	8	12	15	16	3
R0181-02-0227	8	12	15	20	3
R0181-02-0228	8.1	15	18	12	3
R0181-02-0229	8.1	15	18	20	3
R0181-02-0230	8.1	15	18	25	3

Codice Code	D	D1	D2	L	K
R0181-02-0231	8.2	15	18	12	3
R0181-02-0232	8.2	15	18	20	3
R0181-02-0233	8.2	15	18	25	3
R0181-02-0234	8.25	15	18	12	3
R0181-02-0235	8.25	15	18	20	3
R0181-02-0236	8.25	15	18	25	3
R0181-02-0237	8.3	15	18	12	3
R0181-02-0238	8.3	15	18	20	3
R0181-02-0239	8.3	15	18	25	3
R0181-02-0240	8.4	15	18	12	3
R0181-02-0241	8.4	15	18	20	3
R0181-02-0242	8.4	15	18	25	3
R0181-02-0243	8.5	15	18	12	3
R0181-02-0244	8.5	15	18	20	3
R0181-02-0245	8.5	15	18	25	3
R0181-02-0246	8.6	15	18	12	3
R0181-02-0247	8.6	15	18	20	3
R0181-02-0248	8.6	15	18	25	3
R0181-02-0249	8.7	15	18	12	3
R0181-02-0250	8.7	15	18	20	3
R0181-02-0251	8.7	15	18	25	3
R0181-02-0252	8.75	15	18	12	3
R0181-02-0253	8.75	15	18	20	3
R0181-02-0254	8.75	15	18	25	3
R0181-02-0255	8.8	15	18	12	3
R0181-02-0256	8.8	15	18	20	3
R0181-02-0257	8.8	15	18	25	3
R0181-02-0258	8.9	15	18	12	3
R0181-02-0259	8.9	15	18	20	3
R0181-02-0260	8.9	15	18	25	3
R0181-02-0261	9	15	18	12	3
R0181-02-0262	9	15	18	20	3
R0181-02-0263	9	15	18	25	4
R0181-02-0264	9.1	15	18	12	3
R0181-02-0265	9.1	15	18	20	3
R0181-02-0266	9.1	15	18	25	3
R0181-02-0267	9.2	15	18	12	3
R0181-02-0268	9.2	15	18	20	3
R0181-02-0269	9.2	15	18	25	3
R0181-02-0270	9.25	15	18	12	3
R0181-02-0271	9.25	15	18	20	3
R0181-02-0272	9.25	15	18	25	3
R0181-02-0273	9.3	15	18	12	3
R0181-02-0274	9.3	15	18	20	3
R0181-02-0275	9.3	15	18	25	3
R0181-02-0276	9.4	15	18	12	3

R0181

Bussola di mascheraggio con collare DIN 172 - BDIN172
Headed drill bush DIN 172 - BDIN172



Descrizione:

Materiale: 16 Cr Ni 4
Durezza: HRC 58-62
Trattamento termico: Cementazione + Tempra

Description:


Material: 16 Cr Ni 4
Hardness: HRC 58-62
Heat treatment: Cementing + Hardening

Codice Code	D	D1	D2	L	K
R0181-02-0277	9.4	15	18	20	3
R0181-02-0278	9.4	15	18	25	3
R0181-02-0279	9.5	15	18	12	3
R0181-02-0280	9.5	15	18	20	3
R0181-02-0281	9.5	15	18	25	3
R0181-02-0282	9.6	15	18	12	3
R0181-02-0283	9.6	15	18	20	3
R0181-02-0284	9.6	15	18	25	3
R0181-02-0285	9.7	15	18	12	3
R0181-02-0286	9.7	15	18	20	3
R0181-02-0287	9.7	15	18	25	3
R0181-02-0288	9.75	15	18	12	3
R0181-02-0289	9.75	15	18	20	3
R0181-02-0290	9.75	15	18	25	3
R0181-02-0291	9.8	15	18	12	3
R0181-02-0292	9.8	15	18	20	3
R0181-02-0293	9.8	15	18	25	3
R0181-02-0294	9.9	15	18	12	3
R0181-02-0295	9.9	15	18	20	3
R0181-02-0296	9.9	15	18	25	3
R0181-02-0297	10	15	18	12	3
R0181-02-0298	10	15	18	20	3
R0181-02-0299	10	15	18	25	3
R0181-02-0300	10.1	18	22	12	4
R0181-02-0301	10.1	18	22	20	4
R0181-02-0302	10.1	18	22	25	4
R0181-02-0303	10.2	18	22	12	4
R0181-02-0304	10.2	18	22	20	4
R0181-02-0305	10.2	18	22	25	4
R0181-02-0306	10.25	18	22	12	4
R0181-02-0307	10.25	18	22	20	4
R0181-02-0308	10.25	18	22	25	4
R0181-02-0309	10.3	18	22	12	4
R0181-02-0310	10.3	18	22	20	4
R0181-02-0311	10.3	18	22	25	4
R0181-02-0312	10.4	18	22	12	4
R0181-02-0313	10.4	18	22	20	4
R0181-02-0314	10.4	18	22	25	4
R0181-02-0315	10.5	18	22	12	4
R0181-02-0316	10.5	18	22	20	4
R0181-02-0317	10.5	18	22	25	4
R0181-02-0318	10.6	18	22	12	4
R0181-02-0319	10.6	18	22	20	4
R0181-02-0320	10.6	18	22	25	4
R0181-02-0321	10.7	18	22	12	4
R0181-02-0322	10.7	18	22	20	4
R0181-02-0323	10.7	18	22	25	4

Codice Code	D	D1	D2	L	K
R0181-02-0324	10.75	18	22	12	4
R0181-02-0325	10.75	18	22	20	4
R0181-02-0326	10.75	18	22	25	4
R0181-02-0327	10.8	18	22	12	4
R0181-02-0328	10.8	18	22	20	4
R0181-02-0329	10.8	18	22	25	4
R0181-02-0330	10.9	18	22	12	4
R0181-02-0331	10.9	18	22	20	4
R0181-02-0332	10.9	18	22	25	4
R0181-02-0333	11	18	22	12	4
R0181-02-0334	11	18	22	20	4
R0181-02-0335	11	18	22	25	4
R0181-02-0336	11.1	18	22	12	4
R0181-02-0337	11.1	18	22	20	4
R0181-02-0338	11.1	18	22	25	4
R0181-02-0339	11.2	18	22	12	4
R0181-02-0340	11.2	18	22	20	4
R0181-02-0341	11.2	18	22	25	4
R0181-02-0342	11.25	18	22	12	4
R0181-02-0343	11.25	18	22	20	4
R0181-02-0344	11.25	18	22	25	4
R0181-02-0345	11.3	18	22	12	4
R0181-02-0346	11.3	18	22	20	4
R0181-02-0347	11.3	18	22	25	4
R0181-02-0348	11.4	18	22	12	4
R0181-02-0349	11.4	18	22	20	4
R0181-02-0350	11.4	18	22	25	4
R0181-02-0351	11.5	18	22	12	4
R0181-02-0352	11.5	18	22	20	4
R0181-02-0353	11.5	18	22	25	4
R0181-02-0354	11.6	18	22	12	4
R0181-02-0355	11.6	18	22	20	4
R0181-02-0356	11.6	18	22	25	4
R0181-02-0357	11.7	18	22	12	4
R0181-02-0358	11.7	18	22	20	4
R0181-02-0359	11.7	18	22	25	4
R0181-02-0360	11.75	18	22	12	4
R0181-02-0361	11.75	18	22	20	4
R0181-02-0362	11.75	18	22	25	4
R0181-02-0363	11.8	18	22	12	4
R0181-02-0364	11.8	18	22	20	4
R0181-02-0365	11.8	18	22	25	4
R0181-02-0366	11.9	18	22	12	4
R0181-02-0367	11.9	18	22	20	4
R0181-02-0368	11.9	18	22	25	4
R0181-02-0369	12	18	22	12	4
R0181-02-0370	12	18	22	20	4

Codice Code	D	D1	D2	L	K
R0181-02-0371	12	18	22	25	4
R0181-02-0372	12.1	22	26	16	4
R0181-02-0373	12.1	22	26	28	4
R0181-02-0374	12.1	22	26	36	4
R0181-02-0375	12.2	22	26	16	4
R0181-02-0376	12.2	22	26	28	4
R0181-02-0377	12.2	22	26	36	4
R0181-02-0378	12.25	22	26	16	4
R0181-02-0379	12.25	22	26	28	4
R0181-02-0380	12.25	22	26	36	4
R0181-02-0381	12.3	22	26	16	4
R0181-02-0382	12.3	22	26	28	4
R0181-02-0383	12.3	22	26	36	4
R0181-02-0384	12.4	22	26	16	4
R0181-02-0385	12.4	22	26	28	4
R0181-02-0386	12.4	22	26	36	4
R0181-02-0387	12.5	22	26	16	4
R0181-02-0388	12.5	22	26	28	4
R0181-02-0389	12.5	22	26	36	4
R0181-02-0390	12.6	22	26	16	4
R0181-02-0391	12.6	22	26	28	4
R0181-02-0392	12.6	22	26	36	4
R0181-02-0393	12.7	22	26	16	4
R0181-02-0394	12.7	22	26	28	4
R0181-02-0395	12.7	22	26	36	4
R0181-02-0396	12.75	22	26	16	4
R0181-02-0397	12.75	22	26	28	4
R0181-02-0398	12.75	22	26	36	4
R0181-02-0399	12.8	22	26	16	4
R0181-02-0400	12.8	22	26	28	4
R0181-02-0401	12.8	22	26	36	4
R0181-02-0402	12.9	22	26	16	4
R0181-02-0403	12.9	22	26	28	4
R0181-02-0404	12.9	22	26	36	4
R0181-02-0405	13	22	26	16	4
R0181-02-0406	13	22	26	28	4
R0181-02-0407	13	22	26	36	4
R0181-02-0408	13.1	22	26	16	4
R0181-02-0409	13.1	22	26	28	4
R0181-02-0410	13.1	22	26	36	4
R0181-02-0411	13.2	22	26	16	4
R0181-02-0412	13.2	22	26	28	4
R0181-02-0413	13.2	22	26	36	4
R0181-02-0414	13.25	22	26	16	4
R0181-02-0415	13.25	22	26	28	4
R0181-02-0416	13.25	22	26	36	4
R0181-02-0417	13.3	22	26	16	4

R0181 Bussola di mascheraggio con collare DIN 172 - BDIN172 Headed drill bush DIN 172 - BDIN172



Descrizione:

Materiale: 16 Cr Ni 4
Durezza: HRC 58-62
Trattamento termico: Cementazione + Tempra

Description:

Material: 16 Cr Ni 4
Hardness: HRC 58-62
Heat treatment: Cementing + Hardening


Codice Code	D	D1	D2	L	K
R0181-02-0418	13.3	22	26	28	4
R0181-02-0419	13.3	22	26	36	4
R0181-02-0420	13.4	22	26	16	4
R0181-02-0421	13.4	22	26	28	4
R0181-02-0422	13.4	22	26	36	4
R0181-02-0423	13.5	22	26	16	4
R0181-02-0424	13.5	22	26	28	4
R0181-02-0425	13.5	22	26	36	4
R0181-02-0426	13.6	22	26	16	4
R0181-02-0427	13.6	22	26	28	4
R0181-02-0428	13.6	22	26	36	4
R0181-02-0429	13.7	22	26	16	4
R0181-02-0430	13.7	22	26	28	4
R0181-02-0431	13.7	22	26	36	4
R0181-02-0432	13.8	22	26	16	4
R0181-02-0433	13.8	22	26	28	4
R0181-02-0434	13.8	22	26	36	4
R0181-02-0435	13.9	22	26	16	4
R0181-02-0436	13.9	22	26	28	4
R0181-02-0437	13.9	22	26	36	4
R0181-02-0438	14	22	26	16	4
R0181-02-0439	14	22	26	28	4
R0181-02-0440	14	22	26	36	4
R0181-02-0441	14.1	22	26	16	4
R0181-02-0442	14.1	22	26	28	4
R0181-02-0443	14.1	22	26	36	4
R0181-02-0444	14.2	22	26	16	4
R0181-02-0445	14.2	22	26	28	4
R0181-02-0446	14.2	22	26	36	4
R0181-02-0447	14.25	22	26	16	4
R0181-02-0448	14.25	22	26	28	4
R0181-02-0449	14.25	22	26	36	4
R0181-02-0450	14.3	22	26	16	4
R0181-02-0451	14.3	22	26	28	4
R0181-02-0452	14.3	22	26	36	4
R0181-02-0453	14.4	22	26	16	4
R0181-02-0454	14.4	22	26	28	4
R0181-02-0455	14.4	22	26	36	4
R0181-02-0456	14.5	22	26	16	4
R0181-02-0457	14.5	22	26	28	4
R0181-02-0458	14.5	22	26	36	4
R0181-02-0459	14.6	22	26	16	4
R0181-02-0460	14.6	22	26	28	4
R0181-02-0461	14.6	22	26	36	4
R0181-02-0462	14.7	22	26	16	4
R0181-02-0463	14.7	22	26	28	4
R0181-02-0464	14.7	22	26	36	4

Codice Code	D	D1	D2	L	K
R0181-02-0465	14.75	22	26	16	4
R0181-02-0466	14.75	22	26	28	4
R0181-02-0467	14.75	22	26	36	4
R0181-02-0468	14.8	22	26	16	4
R0181-02-0469	14.8	22	26	28	4
R0181-02-0470	14.8	22	26	36	4
R0181-02-0471	14.9	22	26	16	4
R0181-02-0472	14.9	22	26	28	4
R0181-02-0473	14.9	22	26	36	4
R0181-02-0474	15	22	26	16	4
R0181-02-0475	15	22	26	28	4
R0181-02-0476	15	22	26	36	4
R0181-02-0477	15.25	26	30	16	4
R0181-02-0478	15.25	26	30	28	4
R0181-02-0479	15.25	26	30	36	4
R0181-02-0480	15.5	26	30	16	4
R0181-02-0481	15.5	26	30	28	4
R0181-02-0482	15.5	26	30	36	4
R0181-02-0483	15.75	26	30	16	4
R0181-02-0484	15.75	26	30	28	4
R0181-02-0485	15.75	26	30	36	4
R0181-02-0486	16	26	30	16	4
R0181-02-0487	16	26	30	28	4
R0181-02-0488	16	26	30	36	4
R0181-02-0489	16.25	26	30	16	4
R0181-02-0490	16.25	26	30	28	4
R0181-02-0491	16.25	26	30	36	4
R0181-02-0492	16.5	26	30	16	4
R0181-02-0493	16.5	26	30	28	4
R0181-02-0494	16.5	26	30	36	4
R0181-02-0495	16.75	26	30	16	4
R0181-02-0496	16.75	26	30	28	4
R0181-02-0497	16.75	26	30	36	4
R0181-02-0498	17	26	30	16	4
R0181-02-0499	17	26	30	28	4
R0181-02-0500	17	26	30	36	4
R0181-02-0501	17.25	26	30	16	4
R0181-02-0502	17.25	26	30	28	4
R0181-02-0503	17.25	26	30	36	4
R0181-02-0504	17.5	26	30	16	4
R0181-02-0505	17.5	26	30	28	4
R0181-02-0506	17.5	26	30	36	4
R0181-02-0507	17.75	26	30	16	4
R0181-02-0508	17.75	26	30	28	4
R0181-02-0509	17.75	26	30	36	4
R0181-02-0510	18	26	30	16	4
R0181-02-0511	18	26	30	28	4

Codice Code	D	D1	D2	L	K
R0181-02-0512	18	26	30	36	4
R0181-02-0513	18.25	30	34	20	5
R0181-02-0514	18.25	30	34	36	5
R0181-02-0515	18.5	30	34	20	5
R0181-02-0516	18.5	30	34	36	5
R0181-02-0517	18.75	30	34	20	5
R0181-02-0518	18.75	30	34	36	5
R0181-02-0519	19	30	34	20	5
R0181-02-0520	19	30	34	36	5
R0181-02-0521	19	30	34	45	5
R0181-02-0522	19.25	30	34	20	5
R0181-02-0523	19.25	30	34	36	5
R0181-02-0524	19.5	30	34	20	5
R0181-02-0525	19.5	30	34	36	5
R0181-02-0526	19.75	30	34	20	5
R0181-02-0527	19.75	30	34	36	5
R0181-02-0528	20	30	34	20	5
R0181-02-0529	20	30	34	36	5
R0181-02-0530	20	30	34	45	5
R0181-02-0531	20.25	30	34	20	5
R0181-02-0532	20.25	30	34	36	5
R0181-02-0533	20.5	30	34	20	5
R0181-02-0534	20.5	30	34	36	5
R0181-02-0535	20.75	30	34	20	5
R0181-02-0536	20.75	30	34	36	5
R0181-02-0537	21	30	34	20	5
R0181-02-0538	21	30	34	36	5
R0181-02-0539	21	30	34	45	5
R0181-02-0540	21.25	30	34	20	5
R0181-02-0541	21.25	30	34	36	5
R0181-02-0542	21.5	30	34	20	5
R0181-02-0543	21.5	30	34	36	5
R0181-02-0544	21.75	30	34	20	5
R0181-02-0545	21.75	30	34	36	5
R0181-02-0546	22	30	34	20	5
R0181-02-0547	22	30	34	36	5
R0181-02-0548	22	30	34	45	5
R0181-02-0549	22.25	35	39	20	5
R0181-02-0550	22.25	35	39	36	5
R0181-02-0551	22.5	35	39	20	5
R0181-02-0552	22.5	35	39	36	5
R0181-02-0553	22.75	35	39	20	5
R0181-02-0554	22.75	35	39	36	5
R0181-02-0555	23	35	39	20	5
R0181-02-0556	23	35	39	36	5
R0181-02-0557	23	35	39	45	5
R0181-02-0558	23.25	35	39	20	5

R0181

Bussola di mascheraggio con collare DIN 172 - BDIN172
Headed drill bush DIN 172 - BDIN172



Descrizione:

Materiale: 16 Cr Ni 4
Durezza: HRC 58-62
Trattamento termico: Cementazione + Tempra

Description:

Material: 16 Cr Ni 4
Hardness: HRC 58-62
Heat treatment: Cementing + Hardening


Codice Code	D	D1	D2	L	K
R0181-02-0559	23.25	35	39	36	5
R0181-02-0560	23.5	35	39	20	5
R0181-02-0561	23.5	35	39	36	5
R0181-02-0562	23.75	35	39	20	5
R0181-02-0563	23.75	35	39	36	5
R0181-02-0564	24	35	39	20	5
R0181-02-0565	24	35	39	36	5
R0181-02-0566	24	35	39	45	5
R0181-02-0567	24.25	35	39	20	5
R0181-02-0568	24.25	35	39	36	5
R0181-02-0569	24.5	35	39	20	5
R0181-02-0570	24.5	35	39	36	5
R0181-02-0571	24.75	35	39	20	5
R0181-02-0572	24.75	35	39	36	5
R0181-02-0573	25	35	39	20	5
R0181-02-0574	25	35	39	36	5
R0181-02-0575	25	35	39	45	5
R0181-02-0576	25.25	35	39	20	5
R0181-02-0577	25.25	35	39	36	5
R0181-02-0578	25.5	35	39	20	5
R0181-02-0579	25.5	35	39	36	5
R0181-02-0580	25.75	35	39	20	5
R0181-02-0581	25.75	35	39	36	5
R0181-02-0582	26	35	39	20	5
R0181-02-0583	26	35	39	36	5
R0181-02-0584	26	35	39	45	5
R0181-02-0585	26.25	42	46	20	5
R0181-02-0586	26.25	42	46	25	5
R0181-02-0587	26.25	42	46	36	5
R0181-02-0588	26.25	42	46	45	5
R0181-02-0589	26.5	42	46	20	5
R0181-02-0590	26.5	42	46	25	5
R0181-02-0591	26.5	42	46	36	5
R0181-02-0592	26.5	42	46	45	5
R0181-02-0593	26.75	42	46	20	5
R0181-02-0594	26.75	42	46	25	5
R0181-02-0595	26.75	42	46	36	5
R0181-02-0596	26.75	42	46	45	5
R0181-02-0597	27	42	46	20	5
R0181-02-0598	27	42	46	25	5
R0181-02-0599	27	42	46	36	5
R0181-02-0600	27	42	46	45	5
R0181-02-0601	27	42	46	56	5
R0181-02-0602	27.25	42	46	20	5
R0181-02-0603	27.25	42	46	25	5
R0181-02-0604	27.25	42	46	36	5
R0181-02-0605	27.25	42	46	45	5

Codice Code	D	D1	D2	L	K
R0181-02-0606	27.5	42	46	20	5
R0181-02-0607	27.5	42	46	25	5
R0181-02-0608	27.5	42	46	36	5
R0181-02-0609	27.5	42	46	45	5
R0181-02-0610	27.75	42	46	20	5
R0181-02-0611	27.75	42	46	25	5
R0181-02-0612	27.75	42	46	36	5
R0181-02-0613	27.75	42	46	45	5
R0181-02-0614	28	42	46	20	5
R0181-02-0615	28	42	46	25	5
R0181-02-0616	28	42	46	36	5
R0181-02-0617	28	42	46	45	5
R0181-02-0618	28	42	46	56	5
R0181-02-0619	28.25	42	46	20	5
R0181-02-0620	28.25	42	46	25	5
R0181-02-0621	28.25	42	46	36	5
R0181-02-0622	28.25	42	46	45	5
R0181-02-0623	28.5	42	46	20	5
R0181-02-0624	28.5	42	46	25	5
R0181-02-0625	28.5	42	46	36	5
R0181-02-0626	28.5	42	46	45	5
R0181-02-0627	28.75	42	46	20	5
R0181-02-0628	28.75	42	46	25	5
R0181-02-0629	28.75	42	46	36	5
R0181-02-0630	28.75	42	46	45	5
R0181-02-0631	29	42	46	20	5
R0181-02-0632	29	42	46	25	5
R0181-02-0633	29	42	46	36	5
R0181-02-0634	29	42	46	45	5
R0181-02-0635	29	42	46	56	5
R0181-02-0636	29.25	42	46	20	5
R0181-02-0637	29.25	42	46	25	5
R0181-02-0638	29.25	42	46	36	5
R0181-02-0639	29.25	42	46	45	5
R0181-02-0640	29.5	42	46	20	5
R0181-02-0641	29.5	42	46	25	5
R0181-02-0642	29.5	42	46	36	5
R0181-02-0643	29.5	42	46	45	5
R0181-02-0644	29.75	42	46	20	5
R0181-02-0645	29.75	42	46	25	5
R0181-02-0646	29.75	42	46	36	5
R0181-02-0647	29.75	42	46	45	5
R0181-02-0648	30	42	46	20	5
R0181-02-0649	30	42	46	25	5
R0181-02-0650	30	42	46	36	5
R0181-02-0651	30	42	46	45	5
R0181-02-0652	30	42	46	56	5

Codice Code	D	D1	D2	L	K
R0181-02-0653	30.25	48	52	25	5
R0181-02-0654	30.25	48	52	45	5
R0181-02-0655	30.5	48	52	25	5
R0181-02-0656	30.5	48	52	45	5
R0181-02-0657	30.75	48	52	25	5
R0181-02-0658	30.75	48	52	45	5
R0181-02-0659	31	48	52	25	5
R0181-02-0660	31	48	52	45	5
R0181-02-0661	31.25	48	52	25	5
R0181-02-0662	31.25	48	52	45	5
R0181-02-0663	31.5	48	52	25	5
R0181-02-0664	31.5	48	52	45	5
R0181-02-0665	31.75	48	52	25	5
R0181-02-0666	31.75	48	52	45	5
R0181-02-0667	32	48	52	25	5
R0181-02-0668	32	48	52	45	5
R0181-02-0669	32.25	48	52	25	5
R0181-02-0670	32.25	48	52	45	5
R0181-02-0671	32.5	48	52	25	5
R0181-02-0672	32.5	48	52	45	5
R0181-02-0673	32.75	48	52	25	5
R0181-02-0674	32.75	48	52	45	5
R0181-02-0675	33	48	52	25	5
R0181-02-0676	33	48	52	45	5
R0181-02-0677	33.25	48	52	25	5
R0181-02-0678	33.25	48	52	45	5
R0181-02-0679	33.5	48	52	25	5
R0181-02-0680	33.5	48	52	45	5
R0181-02-0681	33.75	48	52	25	5
R0181-02-0682	33.75	48	52	45	5
R0181-02-0683	34	48	52	25	5
R0181-02-0684	34	48	52	45	5
R0181-02-0685	34.25	48	52	25	5
R0181-02-0686	34.25	48	52	45	5
R0181-02-0687	34.5	48	52	25	5
R0181-02-0688	34.5	48	52	45	5
R0181-02-0689	34.75	48	52	25	5
R0181-02-0690	34.75	48	52	45	5
R0181-02-0691	35	48	52	25	5
R0181-02-0692	35	48	52	45	5
R0181-02-0693	35.5	55	59	25	5
R0181-02-0694	35.5	55	59	30	5
R0181-02-0695	35.5	55	59	45	5
R0181-02-0696	35.5	55	59	56	5
R0181-02-0697	36	55	59	25	5
R0181-02-0698	36	55	59	30	5
R0181-02-0699	36	55	59	45	5

R0181

Bussola di mascheraggio con collare DIN 172 - BDIN172
Headed drill bush DIN 172 - BDIN172



Descrizione:

Materiale: 16 Cr Ni 4
Durezza: HRC 58-62
Trattamento termico: Cementazione + Tempra

Description:

Material: 16 Cr Ni 4
Hardness: HRC 58-62
Heat treatment: Cementing + Hardening

Codice Code	D	D1	D2	L	K
R0181-02-0700	36	55	59	56	5
R0181-02-0701	36.5	55	59	25	5
R0181-02-0702	36.5	55	59	30	5
R0181-02-0703	36.5	55	59	45	5
R0181-02-0704	36.5	55	59	56	5
R0181-02-0705	37	55	59	25	5
R0181-02-0706	37	55	59	30	5
R0181-02-0707	37	55	59	45	5
R0181-02-0708	37	55	59	56	5
R0181-02-0709	37.5	55	59	25	5
R0181-02-0710	37.5	55	59	30	5
R0181-02-0711	37.5	55	59	45	5
R0181-02-0712	37.5	55	59	56	5
R0181-02-0713	38	55	59	25	5
R0181-02-0714	38	55	59	30	5
R0181-02-0715	38	55	59	45	5
R0181-02-0716	38	55	59	56	5
R0181-02-0717	38.5	55	59	25	5
R0181-02-0718	38.5	55	59	30	5
R0181-02-0719	38.5	55	59	45	5
R0181-02-0720	38.5	55	59	56	5
R0181-02-0721	39	55	59	25	5
R0181-02-0722	39	55	59	30	5
R0181-02-0723	39	55	59	45	5
R0181-02-0724	39	55	59	56	5
R0181-02-0725	39.5	55	59	25	5
R0181-02-0726	39.5	55	59	30	5
R0181-02-0727	39.5	55	59	45	5
R0181-02-0728	39.5	55	59	56	5
R0181-02-0729	40	55	59	25	5
R0181-02-0730	40	55	59	30	5
R0181-02-0731	40	55	59	45	5
R0181-02-0732	40	55	59	56	5
R0181-02-0733	40.5	55	59	25	5
R0181-02-0734	40.5	55	59	30	5
R0181-02-0735	40.5	55	59	45	5
R0181-02-0736	40.5	55	59	56	5
R0181-02-0737	41	55	59	25	5
R0181-02-0738	41	55	59	30	5
R0181-02-0739	41	55	59	45	5
R0181-02-0740	41	55	59	56	5
R0181-02-0741	41.5	55	59	25	5

Codice Code	D	D1	D2	L	K
R0181-02-0742	41.5	55	59	30	5
R0181-02-0743	41.5	55	59	45	5
R0181-02-0744	41.5	55	59	56	5
R0181-02-0745	42	55	59	25	5
R0181-02-0746	42	55	59	30	5
R0181-02-0747	42	55	59	45	5
R0181-02-0748	42	55	59	56	5
R0181-02-0749	42.5	62	66	30	6
R0181-02-0750	42.5	62	66	56	6
R0181-02-0751	43	62	66	30	6
R0181-02-0752	43	62	66	56	6
R0181-02-0753	43.5	62	66	30	6
R0181-02-0754	43.5	62	66	56	6
R0181-02-0755	44	62	66	30	6
R0181-02-0756	44	62	66	56	6
R0181-02-0757	44.5	62	66	30	6
R0181-02-0758	44.5	62	66	56	6
R0181-02-0759	45	62	66	30	6
R0181-02-0760	45	62	66	56	6
R0181-02-0761	45.5	62	66	30	6
R0181-02-0762	45.5	62	66	56	6
R0181-02-0763	46	62	66	30	6
R0181-02-0764	46	62	66	56	6
R0181-02-0765	46.5	62	66	30	6
R0181-02-0766	46.5	62	66	56	6
R0181-02-0767	47	62	66	30	6
R0181-02-0768	47	62	66	56	6
R0181-02-0769	47.5	62	66	30	6
R0181-02-0770	47.5	62	66	56	6
R0181-02-0771	48	62	66	30	6
R0181-02-0772	48	62	66	56	6
R0181-02-0773	48.5	70	74	30	6
R0181-02-0774	48.5	70	74	56	6
R0181-02-0775	49	70	74	30	6
R0181-02-0776	49	70	74	56	6
R0181-02-0777	49.5	70	74	30	6
R0181-02-0778	49.5	70	74	56	6
R0181-02-0779	50	70	74	30	6
R0181-02-0780	50	70	74	56	6
R0181-02-0781	50.1	70	74	56	6
R0181-02-0782	50.5	70	74	30	6
R0181-02-0783	50.5	70	74	56	6

Codice Code	D	D1	D2	L	K
R0181-02-0784	51	70	74	30	6
R0181-02-0785	51	70	74	56	6
R0181-02-0786	51.5	70	74	30	6
R0181-02-0787	51.5	70	74	56	6
R0181-02-0788	52	70	74	30	6
R0181-02-0789	52	70	74	56	6
R0181-02-0790	52.5	70	74	30	6
R0181-02-0791	52.5	70	74	56	6
R0181-02-0792	53	70	74	30	6
R0181-02-0793	53	70	74	56	6
R0181-02-0794	53.5	70	74	30	6
R0181-02-0795	53.5	70	74	56	6
R0181-02-0796	54	70	74	30	6
R0181-02-0797	54	70	74	56	6
R0181-02-0798	54.5	70	74	30	6
R0181-02-0799	54.5	70	74	56	6
R0181-02-0800	55	70	74	30	6
R0181-02-0801	55	70	74	56	6
R0181-02-0802	56	78	82	35	6
R0181-02-0803	56	78	82	67	6
R0181-02-0804	56	78	82	72	6
R0181-02-0805	57	78	82	35	6
R0181-02-0806	57	78	82	67	6
R0181-02-0807	57	78	82	72	6
R0181-02-0808	58	78	82	35	6
R0181-02-0809	58	78	82	67	6
R0181-02-0810	58	78	82	72	6
R0181-02-0811	59	78	82	35	6
R0181-02-0812	59	78	82	67	6
R0181-02-0813	59	78	82	72	6
R0181-02-0814	60	78	82	35	6
R0181-02-0815	60	78	82	67	6
R0181-02-0816	60	78	82	72	6
R0181-02-0817	61	78	82	35	6
R0181-02-0818	61	78	82	67	6
R0181-02-0819	61	78	82	72	6
R0181-02-0820	62	78	82	35	6
R0181-02-0821	62	78	82	67	6
R0181-02-0822	62	78	82	72	6
R0181-02-0823	63	78	82	35	6
R0181-02-0824	63	78	82	67	6
R0181-02-0825	63	78	82	72	6