


R0182

Bussola di mascheraggio liscia DIN 179 - BDIN179
Smooth drill bush DIN 179 - BDIN179



Descrizione:

Materiale: 16 Cr Ni 4
Durezza: HRC 58-62
Trattamento termico: Cementazione + Tempra

Description:

Material: 16 Cr Ni 4
Hardness: HRC 58-62
Heat treatment: Cementing + Hardening

Codice Code	D	D1	L
R0182-02-0001	0.9	3	6
R0182-02-0002	0.9	3	9
R0182-02-0003	1	3	6
R0182-02-0004	1	3	9
R0182-02-0005	1.1	4	6
R0182-02-0006	1.1	4	9
R0182-02-0007	1.2	4	6
R0182-02-0008	1.2	4	9
R0182-02-0009	1.3	4	6
R0182-02-0010	1.3	4	9
R0182-02-0011	1.4	4	6
R0182-02-0012	1.4	4	9
R0182-02-0013	1.5	4	6
R0182-02-0014	1.5	4	9
R0182-02-0015	1.6	4	6
R0182-02-0016	1.6	4	9
R0182-02-0017	1.7	4	6
R0182-02-0018	1.7	4	9
R0182-02-0019	1.8	4	6
R0182-02-0020	1.8	4	9
R0182-02-0021	1.9	5	6
R0182-02-0022	1.9	5	9
R0182-02-0023	2	5	6
R0182-02-0024	2	5	9
R0182-02-0025	2.1	5	6
R0182-02-0026	2.1	5	9
R0182-02-0027	2.2	5	6
R0182-02-0028	2.2	5	9
R0182-02-0029	2.25	5	6
R0182-02-0030	2.25	5	9
R0182-02-0031	2.3	5	6
R0182-02-0032	2.3	5	9
R0182-02-0033	2.4	5	6
R0182-02-0034	2.4	5	9
R0182-02-0035	2.5	5	6
R0182-02-0036	2.5	5	9
R0182-02-0037	2.6	5	6
R0182-02-0038	2.6	5	9
R0182-02-0039	2.7	6	8
R0182-02-0040	2.7	6	12
R0182-02-0041	2.7	6	16
R0182-02-0042	2.75	6	8
R0182-02-0043	2.75	6	12
R0182-02-0044	2.75	6	16
R0182-02-0045	2.8	6	8
R0182-02-0046	2.8	6	12


Codice Code	D	D1	L
R0182-02-0047	2.8	6	16
R0182-02-0048	2.9	6	8
R0182-02-0049	2.9	6	12
R0182-02-0050	2.9	6	16
R0182-02-0051	3	6	8
R0182-02-0052	3	6	12
R0182-02-0053	3	6	16
R0182-02-0054	3.1	6	8
R0182-02-0055	3.1	6	12
R0182-02-0056	3.1	6	16
R0182-02-0057	3.2	6	8
R0182-02-0058	3.2	6	12
R0182-02-0059	3.2	6	16
R0182-02-0060	3.25	6	8
R0182-02-0061	3.25	6	12
R0182-02-0062	3.25	6	16
R0182-02-0063	3.3	6	8
R0182-02-0064	3.3	6	12
R0182-02-0065	3.3	6	16
R0182-02-0066	3.4	7	8
R0182-02-0067	3.4	7	12
R0182-02-0068	3.4	7	16
R0182-02-0069	3.5	7	8
R0182-02-0070	3.5	7	12
R0182-02-0071	3.5	7	16
R0182-02-0072	3.6	7	8
R0182-02-0073	3.6	7	12
R0182-02-0074	3.6	7	16
R0182-02-0075	3.7	7	8
R0182-02-0076	3.7	7	12
R0182-02-0077	3.7	7	16
R0182-02-0078	3.75	7	8
R0182-02-0079	3.75	7	12
R0182-02-0080	3.8	7	16
R0182-02-0081	3.8	7	12
R0182-02-0082	3.8	7	16
R0182-02-0083	3.9	7	8
R0182-02-0084	3.9	7	12
R0182-02-0085	3.9	7	16
R0182-02-0086	4	7	8
R0182-02-0087	4	7	12
R0182-02-0088	4	7	16
R0182-02-0089	4.1	8	8
R0182-02-0090	4.1	8	12
R0182-02-0091	4.1	8	16

Codice Code	D	D1	L
R0182-02-0092	4.2	8	8
R0182-02-0093	4.2	8	12
R0182-02-0094	4.2	8	16
R0182-02-0095	4.25	8	8
R0182-02-0096	4.25	8	12
R0182-02-0097	4.25	8	16
R0182-02-0098	4.3	8	8
R0182-02-0099	4.3	8	12
R0182-02-0100	4.3	8	16
R0182-02-0101	4.4	8	8
R0182-02-0102	4.4	8	12
R0182-02-0103	4.4	8	16
R0182-02-0104	4.5	8	8
R0182-02-0105	4.5	8	12
R0182-02-0106	4.5	8	16
R0182-02-0107	4.6	8	8
R0182-02-0108	4.6	8	12
R0182-02-0109	4.6	8	16
R0182-02-0110	4.7	8	8
R0182-02-0111	4.7	8	12
R0182-02-0112	4.7	8	16
R0182-02-0113	4.75	8	8
R0182-02-0114	4.75	8	12
R0182-02-0115	4.75	8	16
R0182-02-0116	4.8	8	8
R0182-02-0117	4.8	8	12
R0182-02-0118	4.8	8	16
R0182-02-0119	4.9	8	8
R0182-02-0120	4.9	8	12
R0182-02-0121	4.9	8	16
R0182-02-0122	5	8	8
R0182-02-0123	5	8	12
R0182-02-0124	5	8	16
R0182-02-0125	5.1	10	10
R0182-02-0126	5.1	10	16
R0182-02-0127	5.1	10	20
R0182-02-0128	5.2	10	10
R0182-02-0129	5.2	10	16
R0182-02-0130	5.2	10	20
R0182-02-0131	5.25	10	10
R0182-02-0132	5.25	10	16
R0182-02-0133	5.25	10	20
R0182-02-0134	5.3	10	10
R0182-02-0135	5.3	10	16
R0182-02-0136	5.3	10	20
R0182-02-0137	5.4	10	10

Codice Code	D	D1	L
R0182-02-0138	5.4	10	16
R0182-02-0139	5.4	10	20
R0182-02-0140	5.5	10	10
R0182-02-0141	5.5	10	16
R0182-02-0142	5.5	10	20
R0182-02-0143	5.6	10	10
R0182-02-0144	5.6	10	16
R0182-02-0145	5.6	10	20
R0182-02-0146	5.7	10	10
R0182-02-0147	5.7	10	16
R0182-02-0148	5.7	10	20
R0182-02-0149	5.75	10	10
R0182-02-0150	5.75	10	16
R0182-02-0151	5.75	10	20
R0182-02-0152	5.8	10	10
R0182-02-0153	5.8	10	16
R0182-02-0154	5.8	10	20
R0182-02-0155	5.9	10	10
R0182-02-0156	5.9	10	16
R0182-02-0157	5.9	10	20
R0182-02-0158	6	10	10
R0182-02-0159	6	10	16
R0182-02-0160	6	10	20
R0182-02-0161	6.1	12	10
R0182-02-0162	6.1	12	16
R0182-02-0163	6.1	12	20
R0182-02-0164	6.2	12	10
R0182-02-0165	6.2	12	16
R0182-02-0166	6.2	12	20
R0182-02-0167	6.25	12	10
R0182-02-0168	6.25	12	16
R0182-02-0169	6.25	12	20
R0182-02-0170	6.3	12	10
R0182-02-0171	6.3	12	16
R0182-02-0172	6.3	12	20
R0182-02-0173	6.4	12	10
R0182-02-0174	6.4	12	16
R0182-02-0175	6.4	12	20
R0182-02-0176	6.5	12	10
R0182-02-0177	6.5	12	16
R0182-02-0178	6.5	12	20
R0182-02-0179	6.6	12	10
R0182-02-0180	6.6	12	16
R0182-02-0181	6.6	12	20
R0182-02-0182	6.7	12	10
R0182-02-0183	6.7	12	16

R0182

Bussola di mascheraggio liscia DIN 179 - BDIN179
Smooth drill bush DIN 179 - BDIN179



Descrizione:

Materiale: 16 Cr Ni 4
Durezza: HRC 58-62
Trattamento termico: Cementazione + Tempra

Description:

Material: 16 Cr Ni 4
Hardness: HRC 58-62
Heat treatment: Cementing + Hardening

Codice Code	D	D1	L
R0182-02-0184	6.7	12	20
R0182-02-0185	6.75	12	10
R0182-02-0186	6.75	12	16
R0182-02-0187	6.75	12	20
R0182-02-0188	6.8	12	10
R0182-02-0189	6.8	12	16
R0182-02-0190	6.8	12	20
R0182-02-0191	6.9	12	10
R0182-02-0192	6.9	12	16
R0182-02-0193	6.9	12	20
R0182-02-0194	7	12	10
R0182-02-0195	7	12	16
R0182-02-0196	7	12	20
R0182-02-0197	7.1	12	10
R0182-02-0198	7.1	12	16
R0182-02-0199	7.1	12	20
R0182-02-0200	7.2	12	10
R0182-02-0201	7.2	12	16
R0182-02-0202	7.2	12	20
R0182-02-0203	7.25	12	10
R0182-02-0204	7.25	12	16
R0182-02-0205	7.25	12	20
R0182-02-0206	7.3	12	10
R0182-02-0207	7.3	12	16
R0182-02-0208	7.3	12	20
R0182-02-0209	7.4	12	10
R0182-02-0210	7.4	12	16
R0182-02-0211	7.4	12	20
R0182-02-0212	7.5	12	10
R0182-02-0213	7.5	12	16
R0182-02-0214	7.5	12	20
R0182-02-0215	7.6	12	10
R0182-02-0216	7.6	12	16
R0182-02-0217	7.6	12	20
R0182-02-0218	7.7	12	10
R0182-02-0219	7.7	12	16
R0182-02-0220	7.7	12	20
R0182-02-0221	7.75	12	10
R0182-02-0222	7.75	12	16
R0182-02-0223	7.75	12	20
R0182-02-0224	7.8	12	10
R0182-02-0225	7.8	12	16
R0182-02-0226	7.8	12	20
R0182-02-0227	7.9	12	10
R0182-02-0228	7.9	12	16
R0182-02-0229	7.9	12	20


Codice Code	D	D1	L
R0182-02-0230	8	12	10
R0182-02-0231	8	12	16
R0182-02-0232	8	12	20
R0182-02-0233	8.1	15	12
R0182-02-0234	8.1	15	20
R0182-02-0235	8.1	15	25
R0182-02-0236	8.2	15	12
R0182-02-0237	8.2	15	20
R0182-02-0238	8.2	15	25
R0182-02-0239	8.25	15	12
R0182-02-0240	8.25	15	20
R0182-02-0241	8.25	15	25
R0182-02-0242	8.3	15	12
R0182-02-0243	8.3	15	20
R0182-02-0244	8.3	15	25
R0182-02-0245	8.4	15	12
R0182-02-0246	8.4	15	20
R0182-02-0247	8.4	15	25
R0182-02-0248	8.5	15	12
R0182-02-0249	8.5	15	20
R0182-02-0250	8.5	15	25
R0182-02-0251	8.6	15	12
R0182-02-0252	8.6	15	20
R0182-02-0253	8.6	15	25
R0182-02-0254	8.7	15	12
R0182-02-0255	8.7	15	20
R0182-02-0256	8.7	15	25
R0182-02-0257	8.75	15	12
R0182-02-0258	8.75	15	20
R0182-02-0259	8.75	15	25
R0182-02-0260	8.8	15	12
R0182-02-0261	8.8	15	20
R0182-02-0262	8.8	15	25
R0182-02-0263	8.9	15	12
R0182-02-0264	8.9	15	20
R0182-02-0265	8.9	15	25
R0182-02-0266	9	15	12
R0182-02-0267	9	15	20
R0182-02-0268	9	15	25
R0182-02-0269	9.1	15	12
R0182-02-0270	9.1	15	20
R0182-02-0271	9.1	15	25
R0182-02-0272	9.2	15	12
R0182-02-0273	9.2	15	20
R0182-02-0274	9.2	15	25
R0182-02-0275	9.25	15	12

Codice Code	D	D1	L
R0182-02-0276	9.25	15	20
R0182-02-0277	9.25	15	25
R0182-02-0278	9.3	15	12
R0182-02-0279	9.3	15	20
R0182-02-0280	9.3	15	25
R0182-02-0281	9.4	15	12
R0182-02-0282	9.4	15	20
R0182-02-0283	9.4	15	25
R0182-02-0284	9.5	15	12
R0182-02-0285	9.5	15	20
R0182-02-0286	9.5	15	25
R0182-02-0287	9.6	15	12
R0182-02-0288	9.6	15	20
R0182-02-0289	9.6	15	25
R0182-02-0290	9.7	15	12
R0182-02-0291	9.7	15	20
R0182-02-0292	9.7	15	25
R0182-02-0293	9.75	15	12
R0182-02-0294	9.75	15	20
R0182-02-0295	9.75	15	25
R0182-02-0296	9.8	15	12
R0182-02-0297	9.8	15	20
R0182-02-0298	9.8	15	25
R0182-02-0299	9.9	15	12
R0182-02-0300	9.9	15	20
R0182-02-0301	9.9	15	25
R0182-02-0302	10	15	12
R0182-02-0303	10	15	20
R0182-02-0304	10	15	25
R0182-02-0305	10.1	18	12
R0182-02-0306	10.1	18	20
R0182-02-0307	10.1	18	25
R0182-02-0308	10.2	18	12
R0182-02-0309	10.2	18	20
R0182-02-0310	10.2	18	25
R0182-02-0311	10.25	18	12
R0182-02-0312	10.25	18	20
R0182-02-0313	10.25	18	25
R0182-02-0314	10.3	18	12
R0182-02-0315	10.3	18	20
R0182-02-0316	10.3	18	25
R0182-02-0317	10.4	18	12
R0182-02-0318	10.4	18	20
R0182-02-0319	10.4	18	25
R0182-02-0320	10.5	18	12
R0182-02-0321	10.5	18	20

Codice Code	D	D1	L
R0182-02-0322	10.5	18	25
R0182-02-0323	10.6	18	12
R0182-02-0324	10.6	18	20
R0182-02-0325	10.6	18	25
R0182-02-0326	10.7	18	12
R0182-02-0327	10.7	18	20
R0182-02-0328	10.7	18	25
R0182-02-0329	10.75	18	12
R0182-02-0330	10.75	18	20
R0182-02-0331	10.75	18	25
R0182-02-0332	10.8	18	12
R0182-02-0333	10.8	18	20
R0182-02-0334	10.8	18	25
R0182-02-0335	10.9	18	12
R0182-02-0336	10.9	18	20
R0182-02-0337	10.9	18	25
R0182-02-0338	11	18	12
R0182-02-0339	11	18	20
R0182-02-0340	11	18	25
R0182-02-0341	11.1	18	12
R0182-02-0342	11.1	18	20
R0182-02-0343	11.1	18	25
R0182-02-0344	11.2	18	12
R0182-02-0345	11.2	18	20
R0182-02-0346	11.2	18	25
R0182-02-0347	11.25	18	12
R0182-02-0348	11.25	18	20
R0182-02-0349	11.25	18	25
R0182-02-0350	11.3	18	12
R0182-02-0351	11.3	18	20
R0182-02-0352	11.3	18	25
R0182-02-0353	11.4	18	12
R0182-02-0354	11.4	18	20
R0182-02-0355	11.4	18	25
R0182-02-0356	11.5	18	12
R0182-02-0357	11.5	18	20
R0182-02-0358	11.5	18	25
R0182-02-0359	11.6	18	12
R0182-02-0360	11.6	18	20
R0182-02-0361	11.6	18	25
R0182-02-0362	11.7	18	12
R0182-02-0363	11.7	18	20
R0182-02-0364	11.7	18	25
R0182-02-0365	11.75	18	12
R0182-02-0366	11.75	18	20
R0182-02-0367	11.75	18	25

R0182

Bussola di mascheraggio liscia DIN 179 - BDIN179
Smooth drill bush DIN 179 - BDIN179



Descrizione:

Materiale: 16 Cr Ni 4
Durezza: HRC 58-62
Trattamento termico: Cementazione + Tempra

Description:

Material: 16 Cr Ni 4
Hardness: HRC 58-62
Heat treatment: Cementing + Hardening

Codice Code	D	D1	L
R0182-02-0368	11.8	18	12
R0182-02-0369	11.8	18	20
R0182-02-0370	11.8	18	25
R0182-02-0371	11.9	18	12
R0182-02-0372	11.9	18	20
R0182-02-0373	11.9	18	25
R0182-02-0374	12	18	12
R0182-02-0375	12	18	20
R0182-02-0376	12	18	25
R0182-02-0377	12.1	22	16
R0182-02-0378	12.1	22	28
R0182-02-0379	12.1	22	36
R0182-02-0380	12.2	22	16
R0182-02-0381	12.2	22	28
R0182-02-0382	12.2	22	36
R0182-02-0383	12.25	22	16
R0182-02-0384	12.25	22	28
R0182-02-0385	12.25	22	36
R0182-02-0386	12.3	22	16
R0182-02-0387	12.3	22	28
R0182-02-0388	12.3	22	36
R0182-02-0389	12.4	22	16
R0182-02-0390	12.4	22	28
R0182-02-0391	12.4	22	36
R0182-02-0392	12.5	22	16
R0182-02-0393	12.5	22	28
R0182-02-0394	12.5	22	36
R0182-02-0395	12.6	22	16
R0182-02-0396	12.6	22	28
R0182-02-0397	12.6	22	36
R0182-02-0398	12.7	22	16
R0182-02-0399	12.7	22	28
R0182-02-0400	12.7	22	36
R0182-02-0401	12.75	22	16
R0182-02-0402	12.75	22	28
R0182-02-0403	12.75	22	36
R0182-02-0404	12.8	22	16
R0182-02-0405	12.8	22	28
R0182-02-0406	12.8	22	36
R0182-02-0407	12.9	22	16
R0182-02-0408	12.9	22	28
R0182-02-0409	12.9	22	36
R0182-02-0410	13	22	16
R0182-02-0411	13	22	28
R0182-02-0412	13	22	36
R0182-02-0413	13.1	22	16


Codice Code	D	D1	L
R0182-02-0414	13.1	22	28
R0182-02-0415	13.1	22	36
R0182-02-0416	13.2	22	16
R0182-02-0417	13.2	22	28
R0182-02-0418	13.2	22	36
R0182-02-0419	13.25	22	16
R0182-02-0420	13.25	22	28
R0182-02-0421	13.25	22	36
R0182-02-0422	13.3	22	16
R0182-02-0423	13.3	22	28
R0182-02-0424	13.3	22	36
R0182-02-0425	13.4	22	16
R0182-02-0426	13.4	22	28
R0182-02-0427	13.4	22	36
R0182-02-0428	13.5	22	16
R0182-02-0429	13.5	22	28
R0182-02-0430	13.5	22	36
R0182-02-0432	13.6	22	16
R0182-02-0433	13.6	22	28
R0182-02-0434	13.6	22	36
R0182-02-0435	13.7	22	16
R0182-02-0436	13.7	22	28
R0182-02-0437	13.7	22	36
R0182-02-0438	13.75	22	16
R0182-02-0439	13.75	22	28
R0182-02-0431	13.75	22	36
R0182-02-0440	13.8	22	16
R0182-02-0441	13.8	22	28
R0182-02-0442	13.8	22	36
R0182-02-0443	13.9	22	16
R0182-02-0444	13.9	22	28
R0182-02-0445	13.9	22	36
R0182-02-0446	14	22	16
R0182-02-0447	14	22	28
R0182-02-0448	14	22	36
R0182-02-0449	14.1	22	16
R0182-02-0450	14.1	22	28
R0182-02-0451	14.1	22	36
R0182-02-0452	14.2	22	16
R0182-02-0453	14.2	22	28
R0182-02-0454	14.2	22	36
R0182-02-0455	14.25	22	16
R0182-02-0456	14.25	22	28
R0182-02-0457	14.25	22	36
R0182-02-0458	14.3	22	16
R0182-02-0459	14.3	22	28

Codice Code	D	D1	L
R0182-02-0460	14.3	22	36
R0182-02-0461	14.4	22	16
R0182-02-0462	14.4	22	28
R0182-02-0463	14.4	22	36
R0182-02-0464	14.5	22	16
R0182-02-0465	14.5	22	28
R0182-02-0466	14.5	22	36
R0182-02-0467	14.6	22	16
R0182-02-0468	14.6	22	28
R0182-02-0469	14.6	22	36
R0182-02-0470	14.7	22	16
R0182-02-0471	14.7	22	28
R0182-02-0472	14.7	22	36
R0182-02-0473	14.75	22	16
R0182-02-0474	14.75	22	28
R0182-02-0475	14.75	22	36
R0182-02-0476	14.8	22	16
R0182-02-0477	14.8	22	28
R0182-02-0478	14.8	22	36
R0182-02-0479	14.9	22	16
R0182-02-0480	14.9	22	28
R0182-02-0481	14.9	22	36
R0182-02-0482	15	22	16
R0182-02-0483	15	22	28
R0182-02-0484	15	26	36
R0182-02-0485	15.25	26	16
R0182-02-0486	15.25	26	28
R0182-02-0487	15.25	26	36
R0182-02-0488	15.5	26	16
R0182-02-0489	15.5	26	28
R0182-02-0490	15.5	26	36
R0182-02-0491	15.75	26	16
R0182-02-0492	15.75	26	28
R0182-02-0493	15.75	26	36
R0182-02-0494	16	26	16
R0182-02-0495	16	26	28
R0182-02-0496	16	26	36
R0182-02-0497	16.25	26	16
R0182-02-0498	16.25	26	28
R0182-02-0499	16.25	26	36
R0182-02-0500	16.5	26	16
R0182-02-0501	16.5	26	28
R0182-02-0502	16.5	26	36
R0182-02-0503	16.75	26	16
R0182-02-0504	16.75	26	28
R0182-02-0505	16.75	26	36

Codice Code	D	D1	L
R0182-02-0506	17	26	16
R0182-02-0507	17	26	28
R0182-02-0508	17	26	36
R0182-02-0509	17.25	26	16
R0182-02-0510	17.25	26	28
R0182-02-0511	17.25	26	36
R0182-02-0512	17.5	26	16
R0182-02-0513	17.5	26	28
R0182-02-0514	17.5	26	36
R0182-02-0515	17.75	26	16
R0182-02-0516	17.75	26	28
R0182-02-0517	17.75	26	36
R0182-02-0518	18	26	16
R0182-02-0519	18	26	28
R0182-02-0520	18	26	36
R0182-02-0521	18.25	30	20
R0182-02-0522	18.25	30	36
R0182-02-0523	18.5	30	20
R0182-02-0524	18.5	30	36
R0182-02-0525	18.6	30	36
R0182-02-0526	18.75	30	20
R0182-02-0527	18.75	30	36
R0182-02-0528	19	30	20
R0182-02-0529	19	30	36
R0182-02-0530	19.25	30	20
R0182-02-0531	19.25	30	36
R0182-02-0532	19.5	30	20
R0182-02-0533	19.5	30	36
R0182-02-0534	19.75	30	20
R0182-02-0535	19.75	30	36
R0182-02-0536	20	30	20
R0182-02-0537	20	30	36
R0182-02-0538	20	30	45
R0182-02-0539	20.25	30	20
R0182-02-0540	20.25	30	36
R0182-02-0541	20.5	30	20
R0182-02-0542	20.5	30	36
R0182-02-0543	20.75	30	20
R0182-02-0544	20.75	30	36
R0182-02-0545	21	30	20
R0182-02-0546	21	30	36
R0182-02-0547	21.25	30	20
R0182-02-0548	21.25	30	36
R0182-02-0549	21.5	30	20
R0182-02-0550	21.5	30	36
R0182-02-0551	21.75	30	20

R0182

Bussola di mascheraggio liscia DIN 179 - BDIN179
Smooth drill bush DIN 179 - BDIN179



Descrizione:

Materiale: 16 Cr Ni 4
Durezza: HRC 58-62
Trattamento termico: Cementazione + Tempra

Description:

Material: 16 Cr Ni 4
Hardness: HRC 58-62
Heat treatment: Cementing + Hardening

Codice Code	D	D1	L
R0182-02-0552	21.75	30	36
R0182-02-0553	22	30	20
R0182-02-0554	22	30	36
R0182-02-0555	22	30	45
R0182-02-0556	22.25	35	20
R0182-02-0557	22.25	35	36
R0182-02-0558	22.5	35	20
R0182-02-0559	22.5	35	36
R0182-02-0560	22.75	35	20
R0182-02-0561	22.75	35	36
R0182-02-0562	23	35	20
R0182-02-0563	23	35	36
R0182-02-0564	23.25	35	20
R0182-02-0565	23.25	35	36
R0182-02-0566	23.5	35	20
R0182-02-0567	23.5	35	36
R0182-02-0568	23.75	35	20
R0182-02-0569	23.75	35	36
R0182-02-0570	24	35	20
R0182-02-0571	24	35	36
R0182-02-0572	24	35	45
R0182-02-0573	24.25	35	20
R0182-02-0574	24.25	35	36
R0182-02-0575	24.5	35	20
R0182-02-0576	24.5	35	36
R0182-02-0577	24.75	35	20
R0182-02-0578	24.75	35	36
R0182-02-0579	25	35	20
R0182-02-0580	25	35	36
R0182-02-0581	25.25	35	20
R0182-02-0582	25.25	35	36
R0182-02-0583	25.5	35	20
R0182-02-0584	25.5	35	36
R0182-02-0585	25.75	35	20
R0182-02-0586	25.75	35	36
R0182-02-0587	26	35	20
R0182-02-0588	26	35	36
R0182-02-0589	26.25	42	20
R0182-02-0590	26.25	42	25
R0182-02-0591	26.25	42	36
R0182-02-0592	26.25	42	45
R0182-02-0593	26.5	42	20
R0182-02-0594	26.5	42	25
R0182-02-0595	26.5	42	36
R0182-02-0596	26.5	42	45
R0182-02-0597	26.75	42	20


Codice Code	D	D1	L
R0182-02-0598	26.75	42	25
R0182-02-0599	26.75	42	36
R0182-02-0600	26.75	42	45
R0182-02-0601	27	42	20
R0182-02-0602	27	42	25
R0182-02-0603	27	42	36
R0182-02-0604	27	42	45
R0182-02-0606	27	42	56
R0182-02-0605	27.25	42	20
R0182-02-0606	27.25	42	25
R0182-02-0607	27.25	42	36
R0182-02-0608	27.25	42	45
R0182-02-0609	27.5	42	20
R0182-02-0610	27.5	42	25
R0182-02-0611	27.5	42	36
R0182-02-0612	27.5	42	45
R0182-02-0613	27.75	42	20
R0182-02-0614	27.75	42	25
R0182-02-0615	27.75	42	36
R0182-02-0616	27.75	42	45
R0182-02-0617	28	42	20
R0182-02-0618	28	42	25
R0182-02-0619	28	42	36
R0182-02-0620	28	42	45
R0182-02-0621	28	42	56
R0182-02-0622	28.25	42	20
R0182-02-0623	28.25	42	25
R0182-02-0624	28.25	42	36
R0182-02-0625	28.5	42	20
R0182-02-0626	28.5	42	25
R0182-02-0627	28.5	42	36
R0182-02-0628	28.5	42	45
R0182-02-0629	28.75	42	20
R0182-02-0630	28.75	42	25
R0182-02-0631	28.75	42	36
R0182-02-0632	28.75	42	45
R0182-02-0633	29	42	20
R0182-02-0634	29	42	25
R0182-02-0635	29	42	36
R0182-02-0636	29	42	45
R0182-02-0637	29.25	42	20
R0182-02-0638	29.25	42	25
R0182-02-0639	29.25	42	36
R0182-02-0640	29.25	42	45

Codice Code	D	D1	L
R0182-02-0641	29.5	42	20
R0182-02-0642	29.5	42	25
R0182-02-0643	29.5	42	36
R0182-02-0644	29.5	42	45
R0182-02-0645	29.75	42	20
R0182-02-0646	29.75	42	25
R0182-02-0647	29.75	42	36
R0182-02-0648	29.75	42	45
R0182-02-0649	30	42	20
R0182-02-0650	30	42	25
R0182-02-0651	30	42	36
R0182-02-0652	30	42	45
R0182-02-0653	30.25	48	25
R0182-02-0654	30.25	48	45
R0182-02-0655	30.5	48	25
R0182-02-0656	30.5	48	45
R0182-02-0657	30.75	48	25
R0182-02-0658	30.75	48	45
R0182-02-0659	31	48	25
R0182-02-0660	31	48	45
R0182-02-0661	31.25	48	25
R0182-02-0662	31.25	48	45
R0182-02-0663	31.5	48	25
R0182-02-0664	31.5	48	45
R0182-02-0665	31.75	48	25
R0182-02-0666	31.75	48	45
R0182-02-0667	32	48	25
R0182-02-0668	32	48	45
R0182-02-0669	32.25	48	25
R0182-02-0670	32.25	48	45
R0182-02-0671	32.5	48	25
R0182-02-0672	32.5	48	45
R0182-02-0673	32.75	48	25
R0182-02-0674	32.75	48	45
R0182-02-0675	33	48	25
R0182-02-0676	33	48	45
R0182-02-0677	33.25	48	25
R0182-02-0678	33.25	48	45
R0182-02-0679	33.5	48	25
R0182-02-0680	33.5	48	45
R0182-02-0681	33.75	48	25
R0182-02-0682	33.75	48	45
R0182-02-0683	34	48	25
R0182-02-0684	34	48	45
R0182-02-0685	34.25	48	25

Codice Code	D	D1	L
R0182-02-0686	34.25	48	45
R0182-02-0687	34.5	48	25
R0182-02-0688	34.5	48	45
R0182-02-0689	34.75	48	25
R0182-02-0690	34.75	48	45
R0182-02-0691	35	48	25
R0182-02-0692	35	48	45
R0182-02-0693	35.5	55	25
R0182-02-0694	35.5	55	30
R0182-02-0695	35.5	55	45
R0182-02-0696	35.5	55	56
R0182-02-0697	36	55	25
R0182-02-0698	36	55	30
R0182-02-0699	36	55	45
R0182-02-0700	36	55	56
R0182-02-0701	36.5	55	25
R0182-02-0702	36.5	55	30
R0182-02-0703	36.5	55	45
R0182-02-0704	36.5	55	56
R0182-02-0705	37	55	25
R0182-02-0706	37	55	30
R0182-02-0707	37	55	45
R0182-02-0708	37	55	56
R0182-02-0709	37.5	55	25
R0182-02-0710	37.5	55	30
R0182-02-0711	37.5	55	45
R0182-02-0712	37.5	55	56
R0182-02-0713	38	55	25
R0182-02-0714	38	55	30
R0182-02-0715	38	55	45
R0182-02-0716	38	55	56
R0182-02-0717	38.5	55	25
R0182-02-0718	38.5	55	30
R0182-02-0719	38.5	55	45
R0182-02-0720	38.5	55	56
R0182-02-0721	39	55	25
R0182-02-0722	39	55	30
R0182-02-0723	39	55	45
R0182-02-0724	39	55	56
R0182-02-0725	39.5	55	25
R0182-02-0726	39.5	55	30
R0182-02-0727	39.5	55	45
R0182-02-0728	39.5	55	56
R0182-02-0729	40	55	25
R0182-02-0730	40	55	30
R0182-02-0731	40	55	45

R0182

Bussola di mascheraggio liscia DIN 179 - BDIN179
Smooth drill bush DIN 179 - BDIN179



Descrizione:

Materiale: 16 Cr Ni 4
Durezza: HRC 58-62
Trattamento termico: Cementazione + Tempra

Description:

Material: 16 Cr Ni 4
Hardness: HRC 58-62
Heat treatment: Cementing + Hardening

Codice Code	D	D1	L
R0182-02-0732	40	55	56
R0182-02-0733	40.5	55	25
R0182-02-0734	40.5	55	30
R0182-02-0735	40.5	55	45
R0182-02-0736	40.5	55	56
R0182-02-0737	41	55	25
R0182-02-0738	41	55	30
R0182-02-0739	41	55	45
R0182-02-0740	41	55	56
R0182-02-0741	41.5	55	25
R0182-02-0742	41.5	55	30
R0182-02-0743	41.5	55	45
R0182-02-0744	41.5	55	56
R0182-02-0745	42	55	25
R0182-02-0746	42	55	30
R0182-02-0747	42	55	45
R0182-02-0748	42	55	56
R0182-02-0749	42.5	62	30
R0182-02-0750	42.5	62	56
R0182-02-0751	43	62	30
R0182-02-0752	43	62	56
R0182-02-0753	43.5	62	30
R0182-02-0754	43.5	62	56
R0182-02-0755	44	62	30

Codice Code	D	D1	L
R0182-02-0756	44	62	56
R0182-02-0757	44.5	62	30
R0182-02-0758	44.5	62	56
R0182-02-0759	45	62	30
R0182-02-0760	45	62	56
R0182-02-0761	45.5	62	30
R0182-02-0762	45.5	62	56
R0182-02-0763	46	62	30
R0182-02-0764	46	62	56
R0182-02-0765	46.5	62	30
R0182-02-0766	46.5	62	56
R0182-02-0767	47	62	30
R0182-02-0768	47	62	56
R0182-02-0769	47.5	62	30
R0182-02-0770	47.5	62	56
R0182-02-0771	48	62	30
R0182-02-0772	48	62	56
R0182-02-0773	48.5	70	30
R0182-02-0774	48.5	70	56
R0182-02-0775	49	70	30
R0182-02-0776	49	70	56
R0182-02-0777	49.5	70	30
R0182-02-0778	49.5	70	56
R0182-02-0779	50	70	30

Codice Code	D	D1	L
R0182-02-0780	50	70	56
R0182-02-0781	50.5	70	30
R0182-02-0782	50.5	70	56
R0182-02-0783	51	70	30
R0182-02-0784	51	70	56
R0182-02-0785	51.5	70	30
R0182-02-0786	51.5	70	56
R0182-02-0787	52	70	30
R0182-02-0788	52	70	56
R0182-02-0789	52.5	70	30
R0182-02-0790	52.5	70	56
R0182-02-0791	53	70	30
R0182-02-0792	53	70	56
R0182-02-0793	53.5	70	30
R0182-02-0794	53.5	70	56
R0182-02-0795	54	70	30
R0182-02-0796	54	70	56
R0182-02-0797	54.5	70	30
R0182-02-0798	54.5	70	56
R0182-02-0799	55	70	30
R0182-02-0800	55	70	56
R0182-02-0801	56	78	35
R0182-02-0802	56	78	67
R0182-02-0803	56	78	72

Codice Code	D	D1	L
R0182-02-0804	57	78	35
R0182-02-0805	57	78	67
R0182-02-0806	57	78	72
R0182-02-0807	58	78	35
R0182-02-0808	58	78	67
R0182-02-0809	58	78	72
R0182-02-0810	59	78	35
R0182-02-0811	59	78	67
R0182-02-0812	59	78	72
R0182-02-0813	60	78	35
R0182-02-0814	60	78	67
R0182-02-0815	60	78	72
R0182-02-0816	61	78	35
R0182-02-0817	61	78	67
R0182-02-0818	61	78	72
R0182-02-0819	62	78	35
R0182-02-0820	62	78	67
R0182-02-0821	62	78	72
R0182-02-0822	63	78	35
R0182-02-0823	63	78	67
R0182-02-0824	63	78	72