


R0216

Colonna guida due diametri spallata con forzatura - R00
Two fitting diameters guide pillar with centring collar, tight fit - R00



Descrizione:

Materiale: 1.7131 ≈60 HRC
Rivestimento: DLC su richiesta
Esempio di ordinativo: R0216-03-0001

Description:


Material: 1.7131 ≈60 HRC
Coating: DLC upon request
Example of purchasing order: R0216-03-0001

Codice Code	D	D1	D2	K	L2	L1	L												
							25	35	55	75	95	115	135	155	195	215	235	245	275
R0216-03	14	20	25	6	9	17		0001	0002	0003	0004								
R0216-03	14	20	25	6	9	22	0005	0006	0007	0008	0009	0010	0011						
R0216-03	14	20	25	6	9	27	0012	0013	0014	0015	0016	0017	0018	0019					
R0216-03	14	20	25	6	9	36	0020	0021	0022	0023	0024	0025	0026	0027					
R0216-03	14	20	25	6	9	46		0028	0029	0030	0031	0032	0033						
R0216-03	14	20	25	6	9	56		0034	0035	0036	0037	0038	0039						
R0216-03	14	20	25	6	9	66		0040	0041	0042	0043	0044							
R0216-03	14	20	25	6	9	76			0045	0046	0047								
R0216-03	14	20	25	6	9	86			0048	0049	0050								
R0216-03	14	20	25	6	9	96			0051	0052	0053								
R0216-03	15	20	25	6	9	17		0054	0055	0056	0057								
R0216-03	15	20	25	6	9	22	0058	0059	0060	0061	0062	0063	0064						
R0216-03	15	20	25	6	9	27	0065	0066	0067	0068	0069	0070	0071	0072					
R0216-03	15	20	25	6	9	36	0073	0074	0075	0076	0077	0078	0079	0080					
R0216-03	15	20	25	6	9	46		0081	0082	0083	0084	0085	0086						
R0216-03	15	20	25	6	9	56		0087	0088	0089	0090	0091	0092						
R0216-03	15	20	25	6	9	66		0093	0094	0095	0096	0097							
R0216-03	15	20	25	6	9	76			0098	0099	0100								
R0216-03	15	20	25	6	9	86			0101	0102	0103								
R0216-03	15	20	25	6	9	96			0104	0105	0106								
R0216-03	18	26	31	6	9	17		0107	0108	0109	0110	0111							
R0216-03	18	26	31	6	9	22		0112	0113	0114	0115	0116	0117						
R0216-03	18	26	31	6	9	27		0118	0119	0120	0121	0122	0123	0124	0125		0126		
R0216-03	18	26	31	6	9	36		0127	0128	0129	0130	0131	0132	0133	0134		0135		
R0216-03	18	26	31	6	9	46		0136	0137	0138	0139	0140	0141	0142	0143		0144		
R0216-03	18	26	31	6	9	56		0145	0146	0147	0148	0149	0150	0151	0152				
R0216-03	18	26	31	6	9	66		0153	0154	0155	0156	0157	0158	0159	0160				
R0216-03	18	26	31	6	9	76			0161	0162	0163	0164	0165	0166	0167				
R0216-03	18	26	31	6	9	86			0168	0169	0170	0171	0172	0173	0174				
R0216-03	18	26	31	6	9	96			0675	0676	0677	0681	0682	0683	0684				

R0216

Colonna guida due diametri spallata con forzatura - R00

Two fitting diameters guide pillar with centring collar, tight fit - R00



Descrizione:

Materiale: 1.7131 ≈60 HRC
Rivestimento: DLC su richiesta
Esempio di ordinativo: R0216-03-0001

Description:


Material: 1.7131 ≈60 HRC
Coating: DLC upon request
Example of purchasing order: R0216-03-0001

Codice Code	D	D1	D2	K	L2	L1	L												
							25	35	55	75	95	115	135	155	195	215	235	245	275
R0216-03	18	26	31	6	9	116				0175	0176	0177							
R0216-03	18	26	31	6	9	136				0178	0179	0180							
R0216-03	20	26	31	6	9	17		0181	0182	0183	0184	0185							
R0216-03	20	26	31	6	9	22		0186	0187	0188	0189	0190	0191						
R0216-03	20	26	31	6	9	27		0192	0193	0194	0195	0196	0197	0198	0199		0200		
R0216-03	20	26	31	6	9	36		0201	0202	0203	0204	0205	0206	0207	0208		0209		
R0216-03	20	26	31	6	9	46		0210	0211	0212	0213	0214	0215	0216	0217		0218		
R0216-03	20	26	31	6	9	56		0219	0220	0221	0222	0223	0224	0225	0226				
R0216-03	20	26	31	6	9	66		0227	0228	0229	0230	0231	0232	0233	0234				
R0216-03	20	26	31	6	9	76			0235	0236	0237	0238	0239	0240	0241				
R0216-03	20	26	31	6	9	86			0242	0243	0244	0245	0246	0247	0248				
R0216-03	20	26	31	6	9	96			0678	0679	0680	0685	0686	0687	0688				
R0216-03	20	26	31	6	9	116				0249	0250	0251							
R0216-03	20	26	31	6	9	136				0252	0253	0254							
R0216-03	22	30	35	6	9	22		0255	0256	0257	0258	0259	0260						
R0216-03	22	30	35	6	9	27		0261	0262	0263	0264	0265		0266	0267		0268		0269
R0216-03	22	30	35	6	9	36		0270	0271	0272	0273	0274		0275	0276		0277		0278
R0216-03	22	30	35	6	9	46		0279	0280	0281	0282	0283		0284	0285		0286		
R0216-03	22	30	35	6	9	56		0287	0288	0289	0290	0291		0292	0293				
R0216-03	22	30	35	6	9	66		0689	0294	0295	0296	0297		0298	0299				
R0216-03	22	30	35	6	9	76			0300	0301	0302	0303	0304	0305	0306				
R0216-03	22	30	35	6	9	86			0307	0308	0309	0310	0311	0312	0313		0314		
R0216-03	22	30	35	6	9	96			0690	0315	0316	0317	0318	0319	0320		0321		
R0216-03	22	30	35	6	9	116				0322	0323	0324	0325	0326	0327		0328		
R0216-03	22	30	35	6	9	136					0329	0330		0331					
R0216-03	22	30	35	6	9	156						0332		0333					
R0216-03	24	30	35	6	9	22		0334	0335	0336	0337	0338	0339						
R0216-03	24	30	35	6	9	27		0340	0341	0342	0343	0344		0345	0346		0347		0348
R0216-03	24	30	35	6	9	36		0349	0350	0351	0352	0353		0354	0355		0356		0357
R0216-03	24	30	35	6	9	46		0358	0359	0360	0361	0362		0363	0364		0365		

R0216

Colonna guida due diametri spallata con forzatura - R00

Two fitting diameters guide pillar with centring collar, tight fit - R00



Descrizione:

Materiale: 1.7131 ≈60 HRC
Rivestimento: DLC su richiesta
Esempio di ordinativo: R0216-03-0001

Description:


Material: 1.7131 ≈60 HRC
Coating: DLC upon request
Example of purchasing order: R0216-03-0001

Codice Code	D	D1	D2	K	L2	L1	L												
							25	35	55	75	95	115	135	155	195	215	235	245	275
R0216-03	24	30	35	6	9	56		0366	0367	0368	0369	0370		0371	0372				
R0216-03	24	30	35	6	9	66		0691	0373	0374	0375	0376		0377	0378				
R0216-03	24	30	35	6	9	76			0379	0380	0381	0382	0383	0384	0385				
R0216-03	24	30	35	6	9	86			0386	0387	0388	0389	0390	0391	0392		0393		
R0216-03	24	30	35	6	9	96			0692	0394	0395	0396	0397	0398	0399		0400		
R0216-03	24	30	35	6	9	116				0401	0402	0403	0404	0405	0406		0407		
R0216-03	24	30	35	6	9	136					0408	0409		0410					
R0216-03	24	30	35	6	9	156						0411		0412					
R0216-03	30	42	47	6	9	27			0413	0414	0415	0416		0417	0418		0419		0420
R0216-03	30	42	47	6	9	36			0421	0422	0423	0424		0425	0426		0427		0428
R0216-03	30	42	47	6	9	46			0429	0430	0431	0432		0433	0434		0435		0436
R0216-03	30	42	47	6	9	56			0437	0438	0439	0440		0441	0442		0443		0444
R0216-03	30	42	47	6	9	66			0445	0446	0447	0448		0449	0450		0451		0452
R0216-03	30	42	47	6	9	76			0453	0454	0455	0456		0457	0458		0459		
R0216-03	30	42	47	6	9	86			0460	0461	0462	0463		0464	0465		0466		
R0216-03	30	42	47	6	9	96			0693	0467	0468	0469		0470	0471				
R0216-03	30	42	47	6	9	116				0472	0473	0474		0475	0476				
R0216-03	30	42	47	6	9	136					0477	0478		0479	0480				
R0216-03	30	42	47	6	9	156					0481	0482		0483					
R0216-03	30	42	47	6	9	176						0484		0485	0486				
R0216-03	30	42	47	6	9	196						0487		0488	0489				
R0216-03	32	42	47	6	9	27			0490	0491	0492	0493		0494	0495		0496		0497
R0216-03	32	42	47	6	9	36			0498	0499	0500	0501		0502	0503		0504		0505
R0216-03	32	42	47	6	9	46			0506	0507	0508	0509		0510	0511		0512		0513
R0216-03	32	42	47	6	9	56			0514	0515	0516	0517		0518	0519		0520		0521
R0216-03	32	42	47	6	9	66			0522	0523	0524	0525		0526	0527		0528		0529
R0216-03	32	42	47	6	9	76			0530	0531	0532	0533		0534	0535		0536		
R0216-03	32	42	47	6	9	86			0537	0538	0539	0540		0541	0542		0543		
R0216-03	32	42	47	6	9	96			0694	0544	0545	0546		0547	0548				
R0216-03	32	42	47	6	9	116				0549	0550	0551		0552	0553				

R0216

Colonna guida due diametri spallata con forzatura - R00

Two fitting diameters guide pillar with centring collar, tight fit - R00



Descrizione:

Materiale: 1.7131 ≈60 HRC
Rivestimento: DLC su richiesta
Esempio di ordinativo: R0216-03-0001

Description:

Material: 1.7131 ≈60 HRC
Coating: DLC upon request
Example of purchasing order: R0216-03-0001

Codice Code	D	D1	D2	K	L2	L1	L												
							25	35	55	75	95	115	135	155	195	215	235	245	275
R0216-03	32	42	47	6	9	136					0554	0555		0556	0557				
R0216-03	32	42	47	6	9	156					0558	0559		0560					
R0216-03	32	42	47	6	9	176						0561		0562	0563				
R0216-03	32	42	47	6	9	196						0564		0565	0566				
R0216-03	40	54	59	10	12	36				0567	0568	0569		0570					
R0216-03	40	54	59	10	12	46				0571	0572	0573		0574					
R0216-03	40	54	59	10	12	56				0575	0576	0577		0578	0579				
R0216-03	40	54	59	10	12	66				0580	0581	0582		0583					
R0216-03	40	54	59	10	12	76				0584	0585	0586		0587					
R0216-03	40	54	59	10	12	86				0588	0589	0590		0591					
R0216-03	40	54	59	10	12	96				0592	0593	0594		0595	0596				
R0216-03	40	54	59	10	12	116				0597	0598	0599		0600	0601				
R0216-03	40	54	59	10	12	136					0602	0603		0604	0605				
R0216-03	40	54	59	10	12	156						0606		0607	0608				
R0216-03	40	54	59	10	12	176						0609		0610	0611		0612		
R0216-03	40	54	59	10	12	196						0613		0614	0615		0616		
R0216-03	40	54	59	10	12	216									0617	0618			
R0216-03	40	54	59	10	12	246										0619		0620	
R0216-03	42	54	59	10	12	36				0621	0622	0623		0624					
R0216-03	42	54	59	10	12	46				0625	0626	0627		0628					
R0216-03	42	54	59	10	12	56				0629	0630	0631		0632	0633				
R0216-03	42	54	59	10	12	66				0634	0635	0636		0637					
R0216-03	42	54	59	10	12	76				0638	0639	0640		0641					
R0216-03	42	54	59	10	12	86				0642	0643	0644		0645					
R0216-03	42	54	59	10	12	96				0646	0647	0648		0649	0650				
R0216-03	42	54	59	10	12	116				0651	0652	0653		0654	0655				
R0216-03	42	54	59	10	12	136					0656	0657		0658	0659				
R0216-03	42	54	59	10	12	156						0660		0661	0662				
R0216-03	42	54	59	10	12	176						0663		0664	0665		0666		
R0216-03	42	54	59	10	12	196						0667		0668	0669		0670		
R0216-03	42	54	59	10	12	216									0671	0672			
R0216-03	42	54	59	10	12	246										0673		0674	