


Diametri Diameters	Resistenza in mm Heaters in mm		Resistenza in pollici Heaters in inches	
Tolleranze sui diametri Tolerances on diameters	-0,02 / 0,07		-0,00079" / 0,00028"	
Lunghezza/Lengths	40	400	1"	12"
Tolleranze sulle lunghezze Tolerances on lengths	±2 fino a 100mm/up to 100mm +1%-3% sopra i 100mm/over 100mm		±0,079 fino a 4"/up to 4" +1%-3% sopra i 4"/over 4"	
Potenze/Loadings	da/ from 100 W	a/ to 2000 W	da/ from 100 W	a/ to 2000 W
Tolleranze sulle Potenze Tolerances on Loadings	+5%		-10%	
Cavi NFVS[*] - Lungh. NSF Leads - Lengths	1000mm		39,37"	
Toll. su lunghezza cavi Tol. on leads length	±10mm		±0,39"	



Esempio di ordinativo: Diametro L W
Example of purchasing order: Diameter L W

Misure in millimetri/Metric sizes

Diametro/Diameter 6,5

		W										
		100	125	160	175	180	200	250	300	320	350	400
L	40	•	•		•		•					
	50	•		•			•	•				
	60		•	•			•	•				
	80		•			•	•	•		•		
	100		•				•	•			•	
	130							•				•
	160								•		•	•

Diametro/Diameter 8

		W										
		100	125	150	160	200	250	300	320	400	420	450
L	40	•			•	•	•					
	50		•			•	•		•			
	60		•			•	•		•			
	80			•		•	•	•		•		
	100					•	•		•	•		
	130						•		•		•	
	160											•

Diametro/Diameter 10

		W												
		100	125	160	180	200	250	300	320	350	400	500	650	800
L	40	•	•			•	•		•					
	50	•		•		•	•				•			
	60			•			•		•		•	•		
	80			•			•		•		•	•	•	
	100					•	•	•		•	•	•	•	
	130								•		•	•	•	•
	160										•		•	
	200										•		•	

Diametro/Diameter 12,5

		W																
		160	200	250	300	350	400	500	600	650	700	800	1000	1250	1300	1500	1600	2000
L	40			●	●		●											
	50	●	●		●	●	●											
	60		●	●	●	●	●	●										
	80			●	●	●	●	●	●			●						
	100						●	●		●		●	●					
	130						●	●		●		●		●				
	160							●		●		●			●			
	200										●		●					
	250											●				●		
	300												●				●	●

Diametro/Diameter 16

		W															
		100	160	200	250	350	400	500	650	800	1000	1250	1400	1500	1600	2000	2500
L	40	•			•		•										
	50		•		•		•										
	60			•		•	•		•								
	80						•	•	•	•							
	100						•	•	•	•	•	•					
	130							•	•	•	•						
	200							•		•	•	•				•	
	250									•	•				•		
	300									•	•				•	•	
	400									•			•			•	•

Misure in pollici/Imperial sizes

Diametro/Diameter 1/4"

		W								
		100	150	200	250	300	350	400	450	500
L	1"	•	•	•						
	1 1/2"	•	•	•	•	•				
	2"	•	•	•	•	•	•			
	2 1/2"	•	•	•	•	•	•	•		
	3"		•	•	•	•	•	•	•	
	3 1/2"			•	•	•				
	4"				•	•	•			
	5"					•	•	•		
	6"							•		•

Diametro/Diameter 3/8"

		W							
		100	150	200	300	400	500	600	800
L	1"			●					
	1 ½"	●	●	●	●				
	2"	●	●	●	●		●		
	2 ½"			●	●	●			
	3"		●	●	●	●	●		
	3 ½"						●		
	4"			●	●	●	●	●	
	5"					●	●		●
	6"					●	●	●	●
	7"						●	●	●
8"							●	●	

Diametro/Diameter 1/2"

		W													
		200	250	300	350	400	500	600	750	800	850	900	1000	1500	2000
L	1 ½"	●		●											
	2"		●	●		●									
	2 ½"		●	●		●	●								
	3"			●		●	●	●							
	3 ½"				●		●		●						
	4"				●	●	●	●		●			●		
	5"						●	●	●			●	●		
	6"							●	●		●		●		
	7"						●	●		●			●		
	8"									●			●	●	
	9"												●	●	
	10"												●	●	●
	12"													●	●

Diametro/Diameter 5/8"

		W												
		200	250	300	400	500	600	750	800	1000	1300	1500	1600	2000
L	2"	●												
	2 ½"		●	●	●									
	3"				●	●	●							
	4"					●	●	●		●				
	5"						●		●	●				
	6"								●	●		●		
	7"									●		●		
	8"									●		●		●
	10"										●		●	